

Safety Data Sheet

Section 1: Product and Company Identification

430

Absolute Accuracy 4591 S Wayside Dr Houston, TX 77087 (832) 571-2387

Product Code: 430 Synonyms: N/A Recommended Use: CALIBRATION GAS Usage Restrictions: INDUSTRIAL CALIBRATION GAS ONLY

Section 2: Hazards Identification



Hazard Classification: Acute Aquatic Toxicity (Category 1) Gases Under Pressure

Hazard Statements: Contains gas under pressure; may explode if heated Very toxic to aquatic life

Precautionary Statements

Storage: Protect from sunlight. Store in well-ventilated place.

Section 3: Composition/Information on Ingredients

	CAS #	Concentration
Phosphine	7803-51-2	PPM 5
Nitrogen	7727-37-9	BALANCE

	Chemical Substance	Chemical Family	Trade Names
Phosphine	PHOSPHINE	Inorganic gases	HYDROGEN PHOSPHIDE; CELPHOS; DELICIA; DETIA; DETIA GAS EX-B; GASEX-B; PHOSPHORUS TRIHYDRIDE; RCRA P096; UN 2199
Nitrogen	NITROGEN, COMPRESSED GAS	Inorganic gases	DIATOMIC NITROGEN; DINITROGEN; NITROGEN; NITROGEN-14; NITROGEN GAS; UN 1066; N2

Section 4: First Aid Measures

	Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
Phosph ine	If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.	Contact with liquid: Immediately flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. Get immediate medical attention.	None
Nitroge n	Wash exposed skin with soap and water.	Flush eyes with plenty of water.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.

Section 5: Fire Fighting Measures

	Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Phosph ine	Let burn unless leak can be stopped immediately. Large fires: Use regular foam or flood with fine water spray.	Hydrogen, forms explosive mixtures with air	 Any supplied-air respirator operated in a pressure- demand or other positive-pressure mode. Use chemical resistant suit. Any supplied-air respirator operated in a pressure- demand or other positive-pressure mode. Use chemical resistant suit.
Nitroge n	Non-flammable. Use suitable extinguishing media for surrounding fire. Cylinders may rupture or explode if exposed to heat.	Non-flammable	 Respiratory protection may be needed for frequent or heavy exposure.

Section 6: Accidental Release Measures

	Personal Precautions	Environmental Precautions	Methods for Containment
Phosphi	Keep unnecessary people away, isolate	Avoid heat, flames, sparks and other	Stop leak if possible without personal risk.
ne	hazard area and deny entry. Ventilate	sources of ignition.	Reduce vapors with water spray. Remove
	closed spaces before entering.		sources of ignition.
Nitroge	Keep unnecessary people away, isolate	No significant effects from contamination	Stop leak if possible without personal risk.
n	hazard area and deny entry. Stay	expected.	
	upwind and keep out of low areas.		

	Methods for Cleanup	Other Information
Phosphine	Stop leak, evacuate area, and contact emergency personnel.	Notify Local Emergency Planning Committee and State Emergency Response Commission for release greater than or equal to RG (U.S. SARA Section 304). If release occurs in the U.S. and is reportable under CERCLA Section 103, notify the National Response Center at (800)424-8802 (USA) or (202)426-2675 (USA).
Nitrogen	N/A	N/A

Section 7: Handling and Storage

	Handling	Storage
Phosphine	Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Notify State Emergency Response Commission for storage or use at amounts greater than or equal to the TPQ (U.S. EPA SARA Section 302). SARA Section 303 requires facilities storing a material with a TPQ to participate in local emergency response planning (U.S. EPA 40 CFR 355.30).	Keep separated from incompatible substances.
Nitrogen	Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.	Keep separated from incompatible substances.

Section 8: Exposure Controls/Personal Protection

	Exposure Guidelines
Phosphine	PHOPHINE: 0.3 ppm (0.4 mg/m3) OSHA TWA 1 ppm (1 mg/m3) OSHA STEL (vacated by 58 FR 35338, June 30, 1993) 0.3 ppm ACGIH TWA 1 ppm ACGIH STEL 0.3 ppm (0.4 mg/m3) NIOSH recommended TWA 10 hour(s) 1 ppm (1 mg/m3) NIOSH recommended STEL
Nitrogen	NITROGEN, COMPRESSED GAS: NITROGEN: ACGIH (simple asphyxiant)

Engineering Controls

Handle only in fully enclosed systems.

	Eye Protection	Skin Protection	Respiratory Protection
Phosphine	For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.	For the gas: Wear appropriate chemical resistant clothing. For the liquid: Wear appropriate protective, cold insulating clothing.	Any supplied-air respirator operated in a pressure-demand or other positive-pressure mode. Use chemical resistant suit.
Nitrogen	Eye protection not required, but recommended.	Protective clothing is not required.	Respiratory protection may be needed for frequent or heavy exposure.

General Hygiene considerations

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

Section 9: Physical and Chemical Properties

	Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Phosp hine	Gas	Clear	Colorless	N/A	Gas, liquid	Unpleasant odor, fishy odor, garlic odor	N/A
Nitro gen	Gas	Clear	Colorless	N/A	Gas	Odorless	Tasteless

	Flash Point	Flammability	Partition Coefficient	Autoignitio n Temperatur e	Upper Explosive Limits	Lower Explosive Limits	
Phos phine	Flammable	Not available	Not available	212 F (100 C)	0.98	0.01	
Nitro gen	Not flammable	Not available	Not available	Nonflammable	Nonflammable	Nonflammable	

	Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рН	Odor Threshol d	Evaporati on Rate	Viscosi ty
Pho sph ine	-126 F (- 87.7 C)	-208.3 F (- 133.5 C)	41.9 bar @ 20 C	1.17 (Air=1)	77F (25C) and 1 atm: 1.18	26% @ 17 C	Neutra l in solutio n	0.021 ppm	Not applicable	Not available
Nit rog en	-321 F (- 196 C)	-346 F (- 210 C)	760 mmHg @ -196 C	0.967 (Air=1)	Not applicable	1.6% @ 20 C	Not applic able	Not available	Not applicable	0.01787 cP @ 27 C

	Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
Phos phin e	34	Р-Н3	Not available	Not available	100%	Not applicable	Soluble: Alcohol, ether, cuprous chloride solutions, cyclohexanol
Nitro gen	28.0134	N2	1.2506 g/L	Not available	100%	1	Soluble: Liquid ammonia

Section 10: Stability and Reactivity

	Stability	Conditions to Avoid	Incompatible Materials
Phosphine	May ignite on exposure to air.	May ignite on exposure to air.	Acids, halogens, oxidizing materials, halo carbons, metal nitrates, nitrous oxide, potassium, ammonia
Nitrogen	Stable at normal temperatures and pressure.	Stable at normal temperatures and pressure.	Metals, oxidizing materials

	Hazardous Decomposition Products	Possibility of Hazardous Reactions
Phosphine	Oxides of phosphorus	Will not polymerize.
Nitrogen	Oxides of nitrogen	Will not polymerize.

Section 11: Toxicology Information

Acute Effects

	Oral LD50	Dermal LD50	Inhalation
Phosphi ne	LC50, 1 hr, rat = 20 ppm	Not available	Toxic. irritation, garlic odor, tearing, nausea, vomiting, diarrhea, stomach pain, difficulty breathing, irregular heartbeat, headache, drowsiness, symptoms of drunkenness, fainting, tingling sensation, visual disturbances, dilated pupils, bluish skin color, lung congestion, kidney damage, liver damage, paralysis, convulsions, coma, death
Nitroge n	Not available	Not available	Nausea, vomiting, difficulty breathing, headache, drowsiness, dizziness, tingling sensation, loss of coordination, convulsions, coma

	Eye Irritation	Skin Irritation	Sensitization
Phosp hine	Liquid: frostbite, blurred vision	Liquid: blisters, frostbite	Acute toxicity, Category 1, inhalation; H330: Fatal if inhaled. Skin corrosion, Category 1B; H314: Causes severe skin burns and eye damage.
Nitrog en	Contact with rapidly expanding gas may cause burns or frostbite	No information on significant adverse effects	Difficulty breathing

Chronic Effects

	Carcinogenicity	Mutagenicity	Reproductive Effects	Develo pmenta l Effects
Phosph	Not available	Available.	Not available	No data
ine				
Nitroge	Not hazardous	Not available	Not available	No data
n				

Section 12: Ecological Information

	Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Phosp hine	Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Not available	Not available
Nitro gen	Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Not available	Not available

Section 13: Disposal Considerations

Phosphine	Dispose in accordance with all applicable regulations.
	Subject to disposal regulations: U.S. EPA 40 CFR 262.
	Hazardous Waste Number(s): P096.

Section 14: Transportation Information

U.S. DOT 49 CFR 172.101

DOT Information For This Mixture

Shipping Name Compressed gas, n.o.s. (Nitrogen, Phosphine)	
UN Number UN1956	
Hazard Class	2.2
Hazard Information Non-Flammable Gas	

Individual Component Information

	Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requiremen ts	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Descriptio n
Phosphine	Phosphine	UN2199	2.3	Not applicable	2.3; 2.1	Forbidden	Forbidden	Toxic- Inhalation Hazard Zone A
N it o g e n	Nitrogen, compressed	UN1066	2.2	Not applicable	2.2	75 kg or L	150 kg	N/A

Canadian Transportation of Dangerous Goods

	Shipping Name	UN Number	Class	Packing Group / Risk Group
Pho sph ine	Phosphine	UN2199	2.3; 2.1	Not applicable
Nitr oge n	Nitrogen, compressed	UN1066	2.2	Not applicable

Section 15: Regulatory Information

U.S. Regulations

	CERCLA Sections	SARA 355.30	SARA 355.40
Phosp hine	100 LBS RQ	500 LBS TPQ	100 LBS RQ
Nitrog en	Not regulated.	Not regulated.	Not regulated.

SARA 370.21

	Acute	Chronic	Fire	Reactive	Sudden Release
Phos phin e	Yes	No	Yes	Yes	Yes
Nitr ogen	Yes	No	No	No	Yes

SARA 372.65	
Phosphine	PHOSPHINE
Nitrogen	Not regulated.

OSHA Process Safety

Phosphine	100 LBS TQ
Nitrogen	Not regulated.

State Regulations

	CA Proposition 65
Phosphine	Not regulated.
Nitrogen	Not regulated.

Canadian Regulations

	WHMIS Classification
Phosphine	ABD1
Nitrogen	A

National Inventory Status

	US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)
Phos phin e	Listed on inventory.	Not listed.	Not determined.
Nitro	Listed on inventory.	Not listed.	Listed on inventory.
gen			

Section 16: Other Information

	NFPA Rating
Phosphine	HEALTH=4 FIRE=4 REACTIVITY=1
Nitrogen	HEALTH=0 FIRE=0 REACTIVITY=0 SPECIAL=SA
0 - minimal barard 1 - alight	bezord 2 - moderate bezord 2 - opyers bezord 4 - optrome bezord

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard